

Receiving Report

Date:

13/4/25

Batch No:

M/27582

Supplier:

Tuy 08/06/h

Dart P/O:

21990

Packing Slip:

Yes ☒

No ☐

Invoice:

Yes ☐

No ☒

Receipt:

Cash ☐

Cr ☒

Release Note Attached:

Yes ☒

No ☐

N/A ☐

Waybill Attached:

Yes ☐

No ☒

N/A ☐

Shipment Complete:

Yes ☐

No ☒

N/A ☐

QC6 Inspection

EmB-25

N/A ☐

Work Order

N/A ☒

Discrepancies

| Part Number | Description | Quantity ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|---------------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| M 304 B 0750 X250 | | 24 | 12 | 0 | 12 | |
| M 304 B 0620 X3 000 | | 12 | 0 | 0 | 12 | |
| | | | | | | |

Initials of receiver (if shipment OK)

Level 12

[Signature]

Production/Admin:

Date

Received/Costing

Initial

13/4/25
[Signature]

Location

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO21995 Receipt Dates from 11/25/2013 to 11/25/2013

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

[illegible]

B I L L O F L A D I N G

No: PEC 851750
Ship Date 21Nov13 at 16:53 From PFWShip From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033Ship Date 21Nov13 at 16:53 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-623976- 1 Your PO # 21995
STAINLESS STEEL FLAT BAR 304-L HRAP
.750" X 2.50" X 144.0000"

1 Pcs

MTR 87 LBS
12 FT2) Our Order PEC-623976- 2 Your PO # 21995
STAINLESS STEEL FLAT BAR 303CD
1.00" X 3.00" X 144.0000"Heat Number
261023Tag No
578108Quantity
12 .5000 "PCS
1

MTR 124 LBS

3) Our Order PEC-623976- 3 Your PO # 21995
Part # ASTM 240A PLATE 7-10 DAYS Rel #
STAINLESS STEEL PLATE 304L
.625" THICK X 3.0000" X 120.0000"4) Our Order PEC-623976- 4 Your PO # 21995
ALUMINUM SHEET 2024 -T3
.0400 Nom X 48.0000" X 144.0000"Heat Number
631894A3Tag No
579094Quantity
192.00 SFTPCS
4

MTR 111 LBS

TOTAL: Tags 2 PCS 6

LBS
322Heat Number
631894A3

*** Chemical Analysis ***

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE
RAPPORTEES IMMEDIATEMENT

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

JTSSF MACHFON

RECU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

B I L L O F L A D I N G
Ship From: THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 851750
Ship Date 21Nov13 at 16:53 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

===== B I L L O F L A D I N G =====
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BAR, 1 BDL, 1 SKID GW. 549 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMÉRO D'APPROBATION SEULEMENT
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER

B I L L O F L A D I N G

No: PEC 851750

Ship From:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 21Nov13 at 16:53 From PFW
 Probill
 Via VIM TRANSFER
 FOB CONCORD
 Frt PREPAID
 Route 0- 0 Manifest 3379
 Vhcle Trailer
 Slp STAN IVERS (905-532-1350)
 Sold To: (20115)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7

Ship To: (1)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7
 Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G - REPRINT

2) Our Order PEC-623976- 2 Your PO # 21995

STAINLESS STEEL FLAT BAR 303CD

1.00" X 3.00" X 144.0000"

| Heat Number | Tag No | Quantity | PCS | Wt LBS |
|-------------|--------|--------------|-----|--------|
| 261023 | 578108 | 12 ' .5000 " | 1 | 124 |

3) Our Order PEC-623976- 3 Your PO # 21995

Part # ASTM 240A PLATE 7-10 DAYS Rel #

STAINLESS STEEL PLATE 304L

.625" THICK X 3.0000" X 120.0000"

B/O

4) Our Order PEC-623976- 4 Your PO # 21995

ALUMINUM SHEET 2024 -T3

.0400 Nom X 48.0000" X 144.0000"

| Heat Number | Tag No | Quantity | PCS | Wt LBS |
|-------------|--------|------------|-----|--------|
| 631894A3 | 579094 | 192.00 SFT | 4 | 111 |

7) Our Order PEC-623976- 5 Your PO # 21995

STAINLESS STEEL PLATE 304L

.750" THICK X 2.5000" X 144.0000"

| Heat Number | Tag No | Quantity | PCS | Wt LBS |
|-------------|--------|----------|-----|--------|
| 260622F | 579296 | 2.50 SFT | 1 | 87 |

| TOTAL: | Tags | PCS | LBS |
|--------|------|-----|-----|
| | 3 | 6 | 322 |

Heat Number
 631894A3

*** Chemical Analysis ***

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

Ship From: **B I L L O F L A D I N G**
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 851750
Ship Date 21Nov13 at 16:53 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest 3379
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

=====

B I L L O F L A D I N G - REPRINT

=====

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 BAR, 1 BDL, 1 SKID GW. 549 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMÉRO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

4

| |
|--|
| SHIP TO: COPPER & BRASS SALES 404 CENTURA COURT SPARTANBURG, SC 29303 |
| SOLD TO: COPPER & BRASS SALES ATTN: ACCOUNTS PAYABLE P.O. Box 5116 SOUTHFIELD, MI 48086 |

**KAISER
ALUMINUM**
Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT
Serial Number
4292152

| | | | | | | |
|--|----------------------------------|----------------------------------|---|--|---|--|
| CUSTOMER PO NUMBER: 5400176724 | WORK PACKAGE: | CUSTOMER PART NUMBER: | SHIP RUN/LOAD: 102583/16 | GOVT CONTRACT NUMBER: ALFLR01581 | | |
| KAISER ORDER NO: 1151047 | LINE ITEM: 1 | SHIP DATE: 14-MAR-2013 | ALLOY: 2024 | CLAD: BARE | TEMPER: T3 | PRODUCT DESCRIPTION: HT Flat Sheet |
| WEIGHT SHIPPED: 3813 LB | QUANTITY: 136 PCS EST. | TRUCK BIL #: 2041427 | GUAGE: 0.0400 IN (1.0160 MM) | DIAMETER/WIDTH: 48.000 IN (1219.2 MM) | LENGTH: 144.000 IN (3657.6 MM) | |

MHU 1663293: LOT 631894A3: 136 pieces;

Certified Specifications

AMS 4037/RevP
CMMP 019/RevD

AMS-QQ-A-250/4/RevA
CMMP 025/RevU

ASTM B 209/Rev10

3-11-25

Test Code: 1504

Test Results

Lot: 631894A3 Cast 613 Drop 02 Ingot 2 Melted in USA

(ASTM E8/B567)
(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T3 | LT / 2 (Min:Max) | 68.2 : 68.5 (470 : 472) | 46.0 : 46.2 (317 : 319) | 16.9 : 17.1 |

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|------|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.09 | 0.23 | 4.8 | 0.58 | 1.4 | 0.01 | 0.11 | 0.02 | 0.01 | 0.00 | TOT 0.03 |

ALLOY LIMITS

| | | | | | | | | | | | | |
|--------------------|------|------|-----|------|-----|------|------|------|------|------|-------|------|
| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
| 2024 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 3.8 | 0.30 | 1.2 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.50 | 0.50 | 4.9 | 0.9 | 1.8 | 0.10 | 0.25 | 0.15 | 0.05 | 0.05 | TOT | 0.15 |
| Aluminum Remainder | | | | | | | | | | | | |

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402808347
CstAr CstOr 253595
Wgt.: 110.592 LB Date 11/13/2013

John R. Zambetti

KAISER ALUMINUM


Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4292152

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.



JAMES HEMENWAY, LABORATORIES SUPERVISOR


Page 2 of 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402808347

CstAr CstOr 253595

Wgt.: 110.592 LB Date 11/13/2013



Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.1.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Cliant
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Hersteller/Usine productrice

Avviso di Spedizione: D-VI13025806
Lieferanweisung/Packing list/B.L.

Ordine nr: 35206 5400174420-R04
Bestell-/Your order/Commande

Certificato nr: MEST395035/2013/
Prüfung/Test/Exam

Conferma ordine nr: EI13001817
Works/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine production



Stato di fornitura: Hot rolled - Annealed Cold Drawn
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Manufacturing process/Mode d'elaboration

Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Pointon de l'essayeur

Specifiche:
Anforderungen / Requirements / Exigences
VSI 0 303 A,CF
AMS 5640 U TYPE1 A
ASTM A320 2011A B8F (1)
MIL-S-882 B/1 303

AISI 303
ASME SA320 2010 B8F (0)
ASTM A370 2012A
QQ-S-764 B/2 303 A

AMS 5640 U S30300 A
ASTM A314 2008 S30300
ASTM A582 2012 S30300 A

(0) SEC.II PT.A 2010 EDITION ADD. 2011a
(1) Chemical analysis only.

(0) Chemical analysis only.

Qualità: T303 #SSREC00034
Werkstoff/Grade/Matériau

Marca: AU188Z/P
Markenbezeichnung
Brand/Revue

Tolleranza: ASTM A484-11
Tolérance/Allowance/Tolerance

Punzonatura: 303
Kannzeichnung/Marking/Markage

AM 13-11-25

| Pos. nr. Item nr. Nr. de pièce | Oggetto Gegenstand Produit description Description du produit | Dimensioni - In Abmessungen Dimensions | Lunghezza - In Länge Longueur | Colata Schmelze Heat Coulée | Pezzi Stückzahl Pièces Pièces | Peso - LB Gewicht Poids | Lotto nr. Lot nr. Lot nr. |
|--------------------------------------|--|--|-------------------------------------|--------------------------------------|--|-------------------------------|---------------------------------|
| 0020 | Flat | 3,0000 x 1,0000 | 140 / 146 | 261023 | ✓ | 1.486 | 304206910 |

| TEST ALLO STATO DI FORNITURA Test on delivery condition Prüfung auf lieferbarem Produkt test a l'état de fourniture Prueba sobre el material así como entregado | | | | | | | | | | |
|--|--|------------|---|--|--|--|--|--|--|--|
| TEST | Provetta/Probedab Beecham/Probedab Lunghezza Beecham Diam. Dichte Wahl Diam. Thickness Lung. diam. Dichte mm | °F | Posiz. Saggio Position Location Emplacement | Snervamento Strackgrenze Yield Stress Rp 0,2% k.s.i. | Snervamento Strackgrenze Yield Stress Rp 0,2% k.s.i. | Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i. | Allungamento Bruchdehnung Elongation Allongement E 4d % | Strizione Erweichung Reduction of area Striction RA % | Resistenza Kerbschlagarbeit Impact Value Resistance | Durezza Härte Hardness Dureté HB |
| | Valori richiesti 1 Anforderungen/required values Valeurs demandées | min max | | | | | | | | 140 255 |
| A | 12,5 | 68 | L | 70 | | 100 | 32 | 53 | | 231 |

| TEST | min | max |
|----------------------------|-----|-----|
| A Grain size for ASTM E112 | | 5 |

Mechanical properties according to ASTM A370.

1) L=longitudinale/längs, T=transversale/quer, Q=Tangenziale/tangentiel

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

| Colata/Heat Schmelze/Coales | min max | 1,50 2,00 | 17,00 19,00 | 0,80 | 1,00 | 8,00 10,00 | 0,100 | 0,25 0,35 | 0,400 | - | - | - | - |
|--------------------------------|--------------|--------------|----------------|---------------|--------------|---------------|--------------|---------------|--------------|-------------|---------------|---|---|
| 261023 | C % 0,043 | Si % 0,30 | Mn % 1,64 | Cr % 17,09 | Mo % 0,51 | Cu % 0,64 | Ni % 8,06 | Co % 0,137 | P % 0,029 | S % 0,35 | Zr % 0,002 | | |

Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Annealing temperature: 1940°F for 1 h/water.
Micro and macro etch test: OK
Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gezeigten Anforderungen sind f. Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été traité conforme aux exigences

Controllo antimescolanza: OK
Vermischungsprüfung: spezialanalytisch durchgeführt
Antimixing testing performed: OK
Controlle antimesclange fait: r.u.s.

Controllo visivo e dimensionale: soddisfatta le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks/satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination
We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.
The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s., 4.3 by TÜV and LLOYD'S

| | | |
|---|---|-----------------|
| Vicenza, 11/09/13 VC008 (Mod. MCE2) | Il collaudatore di stabilimento / der Werksachverständiger Works Inspector / L'agent d'usine M. Rizzotto | Pagina - 1 di 2 |
|---|---|-----------------|

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402803511

CstAr CstOr 253595

Wgt.: 124.000 LB Date 11/09/2013

John R. Zambetti

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine producer

Stato di fornitura: Hot rolled - Annealed Cold Drawn
Lieferzustand/Delivery state/Etat de livraison

Avviso di Spedizione: D-VH13025806
Lieferanzettel/Packing list/B.L.

Ordine nr: 35206 5400174420-R04
Bestell./Your order/Commande

Tipo di Elaborazione: E+AOD
Eschmelzungsart/Making process/Mode of elaboration

Certificato nr: MEST395035/2013/
Prüfung/Inspection

Conferma ordine nr: EI13001817
Works/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Funzione del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Plombon de l'essayeur



Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

| | | |
|--|--|-----------------|
| Vicenza, 11/09/13 VCC008 (Mod. MCE2) | Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L' agent d' usine M. Rizzotto <i>[Signature]</i> | Pagina - 2 di 2 |
|--|--|-----------------|

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402803511

CstAr CstOr 253595

Wgt.: 124.000 LB Date: 11/09/2013

[Signature: Salvatore Zambetti]

Customer: COFDET PO#:5400198043 SO#:CDV238

MTR#:AECL1386421.GIF

Item: 75048144304L#1 Bundle:260622F063 Heat#:260622F

9302268465

Pag 1/1

Aperam Inox América do Sul S.A.

aperam

Head Office: Av. Carandá, nº 1115, 23ª Andar - Centro - Belo Horizonte - MG - 30130-915 - Brazil
 Plant: Praça 1ª de Maio, nº 9 - Centro - Fátima - MG - 35180-018 - Brazil
 Branches: Av. Mendonça Band, nº 1.420 - Distrito Industrial - Campinas - SP - 13054-750 - Brazil
 Rodovia RSC 493, Km 2,4 - S/N - Distrito Industrial - Caxias do Sul - RS - 95110-000 - Brazil

QUALITY CERTIFICATE

Number:
 APERAM Order:
 Date:
 Invoice:

1386421
 72330902
 22/10/2012
 2658E12

Customer:
 ARCELORMITTAL-STAINLESS INTL USA, L
 98 FLORAL AVE
 NEW PROVIDENCE NJ 07974
 EUA
 P.O.NR.: 7897438 / L37807-S

Ship to:
 TA CHEN INTERNATIONAL INC
 5855 OBISPO AVENUE
 LONG BEACH, CA
 EUA

Steel grade: AISI 304L Finish: NR1- HOT ROLLED Product: PLATE
 Dimensions: 19,05 mm x 1219 mm x 3658 mm - 0,750 in x 48,00 in x 144 l
 Marks:

Chemical composition

| Heat no. | C % | Mn % | Si % | P % | S % | Cr % | Ni % | Mo % | Al % | Co % | Cu % | N PPM | | | | |
|----------|-------|------|-------|-------|-------|-------|------|-------|--------|-------|--------|-------|--|--|--|--|
| 260622F | 0,015 | 1,26 | 0,450 | 0,036 | 0,003 | 18,18 | 8,00 | 0,077 | 0,0030 | 0,143 | 0,1425 | 446 | | | | |

Results

| Test/Variable | U.M: | 260622F083 | | | | | | | | | | | |
|---------------------|---------|------------|--------|---|---|---|---|---|---|---|---|---|---|
| | Source: | 280622F06 | | | | | | | | | | | |
| | | H | T | H | T | H | T | H | T | H | T | H | T |
| Tensile Strength | KSI | | 98,19 | | | | | | | | | | |
| Yield Strength 0.2% | KSI | | 56,13 | | | | | | | | | | |
| Elongation 2" | % | | 49,00 | | | | | | | | | | |
| Austenit Grain Size | | | 06/06 | | | | | | | | | | |
| Hardness RB | HRB | 80,40 | 80,40 | | | | | | | | | | |
| Oxalic Test | | DUAL | 0 | | | | | | | | | | |
| Net Weight | LB | | 7.5830 | | | | | | | | | | |
| Gross Weight | LB | | 7.7050 | | | | | | | | | | |

Heat & Lot Identification (U.M.):

OK

Surface quality / dimensions:

OK

Heat treatment: Minimum Solution anneal temp. 1900 F

Standards:

ASME SA480/SA480M 10
 DIN 50049 92
 ASME SA-240 98
 NACE MR0103 03

SAE AMS 5511H 04
 ASTM A240/A240M 10B
 DIN EN 10204-3.1.05

SAE AMS 5511H 03 07
 ASTM A480/A480M 11B
 ANSI/NAC MR0175 (ISO) 09

Remarks: MADE IN BRAZIL // COUNTRY OF ORIGIN: "BRAZIL" // COUNTRY OF MANUFACTURE: "BRAZIL"
 L" // NO WELD REPAIRS // DUAL CERTIFICATE AISI 304/AISI 304L // ASTM A262
 PRACTICE E

- a) Free from mercury contamination.
 b) Material free of contamination from radioactivity. (Guarantee while stored under responsibility of Aperam Inox América do Sul S.A.).
 c) Certify that the results above are correct and in acc. with the specifications or accepted concession.
 d) Quality management system certified acc to standard ISO 9001 - Certificate ABS QE Nº 30071.
 e) Quality management system certified acc to standard ISO/TS 16949 - Certificate ABS QE Nº 38324.
 f) Environmental management system certified acc to standard ISO 14001 - Certificate ABS QE Nº 65889.
 g) Country of Melt: Brazil. Country of manufacture: Brazil.

[Signature]
 Paulo Sérgio Ribeiro
 Qualified Inspector
 - Aperam South America

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402804713

CstAr

CstOr 253595

Wgt.: 87 LB

Date 11/19/2013

[Signature]
 John R. Zambetti



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO21995

Purchase Order Date 11/8/2013

PO Print Date 11/8/2013

Page Number 1 of 5

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

PAID
11/31/13

| | | |
|---------------------------|----------------|----------------------|
| Contact Name | Buyer | Chantal Lavoie |
| Vendor Phone 905 669 9444 | Customer POID | |
| | Customer Tax # | 10127-2607 |
| Ship To Contact | Terms | Net 30 |
| Ship To Phone | Currency | CAD |
| Ship Via: Yours ppd | FOB | FCA - (Free Carrier) |
| Ship Acct: | | |

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|----------|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|
|----------|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|

| | | | | | | | |
|---|---------------|------------------------|---------------------------------|--|------------|--------|---------|
| 1 | M6061T6R1.500 | 6061-T6 Round Bar 1.50 | 11/15/2013 Yes 11/15/2013 | | 24.00 f | \$4.12 | \$98.80 |
|---|---------------|------------------------|---------------------------------|--|------------|--------|---------|

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-2008 OPR AMS-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221

| | | | | | | | |
|---|--------------|--------------------|---------------------------------|--|--------------|--------|----------|
| 2 | M2024T3S.040 | 2024-T3 .040 sheet | 11/15/2013 Yes 11/15/2013 | | 192.00 sf | \$3.05 | \$586.00 |
|---|--------------|--------------------|---------------------------------|--|--------------|--------|----------|

MATERIAL: 2024-T3 ALUMINUM SHEET AS PER
QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR
ASTM B209

Line Total: \$586.00

PO Instructions: NO: PEC ST-621584
NO: PEC ST-621370

Note:

11/8/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO21995**

Purchase Order Date 11/8/2013

PO Print Date 11/8/2013

Page Number 2 of 5

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID


Customer Tax # 10127-2607

Terms Net 30

Currency CAD


FOB FCA - (Free Carrier)

Chantal Lavoie

| | | | | | | | |
|---|----------------------|-------------------------|---------------------------------|------------|---|--------|---------|
| 3 | M6061T6B0.250X04.000 | 6061-T6 Bar .250 x 4.00 | 11/15/2013 Yes 11/15/2013 | 12.00 f |  | \$2.50 | \$30.00 |
|---|----------------------|-------------------------|---------------------------------|------------|---|--------|---------|


MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-A/200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221

Line Total: \$30.00

| | | | | | | | |
|---|----------------------|-------------------------|---------------------------------|------------|---|--------|---------|
| 4 | M6061T6B0.500X02.000 | 6061-T6 Bar .500 x 2.00 | 11/15/2013 Yes 11/15/2013 | 12.00 f |  | \$2.50 | \$30.00 |
|---|----------------------|-------------------------|---------------------------------|------------|---|--------|---------|

SAME AS ABOVE

Line Total: \$30.00

| | | | | | | | |
|---|----------------------|--------------------------|---------------------------------|------------|---|---------|----------|
| 5 | M6061T6B0.500X10.000 | 6061-T6 Bar .500 x 10.00 | 11/15/2013 Yes 11/15/2013 | 48.00 f |  | \$11.16 | \$535.80 |
|---|----------------------|--------------------------|---------------------------------|------------|---|---------|----------|

SAME AS ABOVE

Line Total: \$535.80

PO Instructions: NO: PEC ST-621584
NO: PEC ST-621370

Note:

11/8/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO21995**

Purchase Order Date 11/8/2013

PO Print Date 11/8/2013

Page Number 3 of 5

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

| | | | | | | |
|---|----------------------|-------------------------|---------------------------------|-----------|---------|----------|
| 6 | M6061T6B2.750X03.750 | 6061-T6 BAR 2.75 X 3.75 | 11/15/2013 Yes 11/15/2013 | 8.00 f | \$38.15 | \$305.20 |
|---|----------------------|-------------------------|---------------------------------|-----------|---------|----------|

SAME AS ABOVE

Line Total: \$305.20

| | | | | | | |
|---|--------------|--------------------|---------------------------------|-------------|--------|----------|
| 7 | M6061T6S.125 | 6061-T6 .125 Sheet | 11/15/2013 Yes 11/15/2013 | 96.00 sf | \$4.41 | \$423.36 |
|---|--------------|--------------------|---------------------------------|-------------|--------|----------|

MATERIAL: 6061-T6/T62 ALUMINUM SHEET
AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025
OR AMS 4027 OR ASTM B209

Line Total: \$423.36

| | | | | | | |
|---|------------|---------------------|---------------------------------|------------|--------|----------|
| 8 | M303R0.750 | 303 Round Bar 0.750 | 11/15/2013 Yes 11/15/2013 | 60.00 f | \$2.85 | \$171.00 |
|---|------------|---------------------|---------------------------------|------------|--------|----------|

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$171.00

PO Instructions: NO: PEC ST-621584
NO: PEC ST-621370

Note:

11/8/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO21995

Purchase Order Date 11/8/2013

PO Print Date 11/8/2013

Page Number 4 of 5

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

9 M303H0.500 303 HEX BAR .500 11/15/2013 12.00 \$2.59 \$31.05
Yes
11/15/2013

MATERIAL: AISI 303 SS HEX BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$31.05

10 M304B0.750X2.500 304 BAR .750 X 2.50 11/15/2013 24.00 \$18.75 \$450.00
Yes
11/15/2013

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$450.00

11 M303B1.000X03.000 303 BAR 1" X 3' 11/15/2013 12.00 \$50.83 \$610.00
Yes
11/15/2013

MATERIAL: AISI 303 SS BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

PO Instructions: NO: PEC ST-621584
NO: PEC ST-621370

Note:

11/8/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO21995**

Purchase Order Date 11/8/2013

PO Print Date 11/8/2013

Page Number 5 of 5

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: Yours ppd
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Line Total: \$610.00

| | | | | | | |
|----|------------------|---------------------|------------|-------|---------|----------|
| 12 | M304B0.625X3.000 | 304 BAR .625 X 3.00 | 11/20/2013 | 12.00 | \$20.21 | \$242.50 |
| | | | Yes | f | | |
| | | | 11/20/2013 | | | |

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$242.50

PO Total: \$3,513.71

PO Instructions: NO: PEC ST-621584
NO: PEC ST-621370

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.
No substitution or deviation without consent.
Certificate of Conformity or Material Certification required - YES NO
PST# 6122-5207

Change Nbr: 2

Change Date: 11/8/2013